

EUROPE Rat SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Germany

Location
SULZFELD A010 Rats

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Rat Parvovirus (RPV) af	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
Rat minute virus (RMV) af	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
Toolan H1 Virus (H1) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
Kilham Rat Virus (KRV) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
Rat Coronavirus (RCV/SDAV) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
Rat Theiler Virus (RTV, GDVII) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
Reovirus 3 (REO3) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
Sendai Virus (SEND) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
Pneumonia Virus of Mice (PVM) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
Mouse Adenovirus (MAV 1 & 2) ae	MFIA	RADS US	14-Apr-2026	0 / 8	0 / 92
Lymphocytic Choriomeningitis (LCMV) ae	MFIA	RADS US	14-Apr-2026	0 / 8	0 / 80
Hantaan Virus (HANT) ae	MFIA	RADS US	14-Apr-2026	0 / 8	0 / 92
Bacteria and Fungi					
Tyzzers Disease (CPIL) ae	Exam	RADS EU	14-Apr-2026	0 / 12	0 / 60
Bordetella bronchiseptica be	Culture	RADS EU	14-Apr-2026	0 / 8	0 / 52
Corynebacterium kutscheri ae	Culture	RADS EU	14-Apr-2026	0 / 8	0 / 52
Mycoplasma pulmonis ad	MFIA	RADS EU	25-Jun-2026	0 / 16	0 / 316
Rodentibacter heylii be	Culture	RADS EU	14-Apr-2026	0 / 8	0 / 52
Rodentibacter pneumotropicus be	Culture	RADS EU	14-Apr-2026	0 / 8	0 / 52
Pasteurella multocida ae	Culture	RADS EU	14-Apr-2026	0 / 8	0 / 40
Salmonella spp. ae	Culture	RADS EU	14-Apr-2026	0 / 8	0 / 52
Streptobacillus moniliformis ae	PCR / Exam	RADS EU	14-Apr-2026	0 / 12	0 / 72
Beta Streptococcus - Grp A ce	Culture	RADS EU	14-Apr-2026	0 / 8	0 / 52
Beta Streptococcus - Grp B ce	Culture	RADS EU	14-Apr-2026	0 / 8	0 / 52
Beta Streptococcus - Grp C ce	Culture	RADS EU	14-Apr-2026	0 / 8	0 / 52
Beta Streptococcus - Grp G ce	Culture	RADS EU	14-Apr-2026	0 / 8	0 / 52
Streptococcus pneumoniae be	Culture	RADS EU	14-Apr-2026	0 / 8	0 / 52
Helicobacter hepaticus ae	PCR	RADS US	14-Apr-2026	0 / 12	0 / 60
Helicobacter bilis ae	PCR	RADS US	14-Apr-2026	0 / 12	0 / 60
Helicobacter, other species ae	PCR	RADS US	14-Apr-2026	0 / 12	0 / 60
Filobacterium rodentium (CAR Bacillus) ae	MFIA	RADS EU	14-Apr-2026	0 / 8	0 / 92
Pneumocystis spp. ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
Parasites					
Lice ae	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40
Mites ae	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 52
Other Ectoparasites ce	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40
Aspiculuris tetraptera ae	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40
Syphacia muris ae	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40

EUROPE Rat SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Germany

<i>Location</i> SULZFELD A010 Rats	<i>Health Status</i> SPF / VAF
---------------------------------------	-----------------------------------

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasites					
Syphacia obvelata ae	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40
Other Helminths ae	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40
Cryptosporidium sp. ae	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 52
Eimeria spp. ae	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40
Encephalitozoon cuniculi ae	MFIA	RADS US	14-Apr-2026	0 / 8	0 / 80
Giardia sp. ae	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 52
Spironuleus sp. ae	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 52
Entamoeba sp. ce	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 52
Chilomastix sp. ce	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40
Hexamastix sp. ce	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40
Monocercomonoides sp. ce	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40
Retortamonas sp. ce	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40
Trichomonads ce	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40
Other Protozoa ce	Exam	RADS EU	14-Apr-2026	0 / 8	0 / 40

Lesion Observed

Gross Exam bg	Necropsy Exam	RADS EU	14-Apr-2026	0 / 12	0 / 60
---------------	---------------	---------	-------------	--------	--------

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred WISTAR	Other Species Mice
-------------------	-----------------------

Legend:
 RADS EU = Research Animal Diagnostic Services Europe Lyon, France
 RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE:
 d = screened every four or five weeks; e = screened quarterly; f = screened annually; g = screened every 12 or 13 weeks by necropsy examination.

Sampling date/ Result validation could take until 3 weeks.