

EUROPE Mouse SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Germany

Location
SULZFELD A011 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Minute Virus of Mice (MVM) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 360
Mouse Parvovirus (MPV) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 360
Mouse Hepatitis Virus (MHV) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 360
Mouse Norovirus (MNV) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 368
Theiler Virus (TMEV -GDVII) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 360
Mouse Rotavirus (EDIM) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 360
Sendai Virus (SEND) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 152
Reovirus 3 (REO3) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 152
Pneumonia Virus of Mice (PVM) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 152
Mouse Thymic Virus (MTV) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 104
Mouse Cytomegalovirus (MCMV) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 104
Hantaan Virus (HANT) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 104
Lymphocytic Choriomeningitis (LCMV) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 152
Mouse Adenovirus (MAV 1 & 2) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 152
K Virus (K) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 104
Ectromelia Virus (ECTRO) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 152
Polyoma Virus (POLY) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 104
Lactate Dehydrogenase Virus (LDV) ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 104
Mouse Chapparovirus (MuCPV) be	PCR	RADS US	13-May-2026	0 / 4	0 / 76
Bacteria					
Tyzzers's Disease (CPIL) ae	Exam	RADS EU	13-May-2026	0 / 16	0 / 112
Bordetella bronchiseptica be	Culture	RADS EU	13-May-2026	0 / 8	0 / 104
Citrobacter rodentium ae	Culture	RADS EU	13-May-2026	0 / 8	0 / 104
Corynebacterium kutscheri ae	Culture	RADS EU	13-May-2026	0 / 8	0 / 104
Mycoplasma pulmonis ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 152
Rodentibacter heylii be	Culture	RADS EU	13-May-2026	0 / 8	0 / 104
Rodentibacter pneumotropicus be	Culture	RADS EU	13-May-2026	0 / 8	0 / 104
Pasteurella multocida ae	Culture	RADS EU	13-May-2026	0 / 8	0 / 56
Salmonella spp. ae	Culture	RADS EU	13-May-2026	0 / 8	0 / 104
Streptobacillus moniliformis ae	PCR / Exam	RADS EU	13-May-2026	0 / 16	0 / 160
Beta Streptococcus - Grp A ce	Culture	RADS EU	13-May-2026	0 / 8	0 / 104
Beta Streptococcus - Grp B ce	Culture	RADS EU	13-May-2026	0 / 8	0 / 104
Beta Streptococcus - Grp C ce	Culture	RADS US	13-May-2026	0 / 8	0 / 104
Beta Streptococcus - Grp G ce	Culture	RADS EU	13-May-2026	0 / 8	0 / 104
Streptococcus pneumoniae be	Culture	RADS EU	13-May-2026	0 / 8	0 / 104
Helicobacter hepaticus ae	PCR	RADS US	13-May-2026	0 / 16	0 / 112
Helicobacter bilis ae	PCR	RADS US	13-May-2026	0 / 16	0 / 112
Helicobacter typhlonius ae	PCR	RADS US	13-May-2026	0 / 16	0 / 112

EUROPE Mouse SPF/VAF Barrier Room
EUROPEAN

Charles River Laboratories Germany

<i>Location</i> SULZFELD A011 Mice	<i>Health Status</i> SPF / VAF
---------------------------------------	-----------------------------------

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
Helicobacter, other species ae	PCR	RADS US	13-May-2026	0 / 16	0 / 112
Filobacterium rodentium (CAR Bacillus) ae	MFIA	RADS EU	13-May-2026	0 / 8	0 / 152
Parasites					
Lice ae	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Mites ae	Exam	RADS EU	13-May-2026	0 / 8	0 / 104
Other Ectoparasites ce	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Aspicularis tetraptera ae	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Syphacia muris ae	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Syphacia obvelata ae	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Other Helminths ae	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Cryptosporidium sp. ae	Exam	RADS EU	13-May-2026	0 / 8	0 / 104
Eimeria spp. ae	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Encephalitozoon cuniculi ae	MFIA	RADS US	13-May-2026	0 / 8	0 / 104
Giardia sp. ae	Exam	RADS EU	13-May-2026	0 / 8	0 / 104
Spironucleus sp. ae	Exam	RADS EU	13-May-2026	0 / 8	0 / 104
Entamoeba sp. ce	Exam	RADS EU	13-May-2026	0 / 8	0 / 104
Chilomastix sp. ce	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Hexamastix sp. ce	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Monocercomonoides sp. ce	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Retortamonas sp. ce	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Trichmonads ce	Exam	RADS EU	13-May-2026	0 / 8	0 / 104
Other Protozoa ce	Exam	RADS EU	13-May-2026	0 / 8	0 / 56
Lesion Observed					
Gross Exam bg	Exam	RADS EU	13-May-2026	0 / 16	0 / 112

* dashes indicate not tested during specified period.

HOUSED STRAINS

	Inbred BALB/C C57BL/6	Hybrid CB6F-1
--	-----------------------------	------------------

EUROPE Mouse SPF/VAF Barrier Room**EUROPEAN**

Charles River Laboratories Germany

Location

SULZFELD A011 Mice

Health Status

SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France

RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE:

d = screened every four or five weeks; e = screened quarterly; f = screened annually; g = screened every 12 or 13 weeks by necropsy examination.

Sampling date/Results validation could take up to 3 weeks.