

EUROPE RAT IMMUNODEFICIENT REPORT

EUROPEAN

Charles River Laboratories Germany

Location
SULZFELD A017 Rats

Health Status
Immunodeficient.

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Rat Parvovirus (RPV) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Rat minute virus (RMV) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Toolan H1 Virus (H1) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Kilham Rat Virus (KRV) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Rat Theiler Virus (RTV, GDVII) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Rat Coronavirus (RCV/SDAV) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Reovirus 3 (REO 3) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Sendai Virus (SEND) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Pneumonia Virus (PVM) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Mouse Adenovirus (MAV 1 & 2) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Lymphocytic Choriomeningitis (LCMV) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Hantaan Virus (HANT) af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20
Bacteria					
Tyzzers's Disease (CPIL) af	Exam	RADS EU	21-Apr-2026	0 / 8	0 / 40
Bordetella bronchiseptica af	Culture	RADS EU	21-Apr-2026	0 / 8	0 / 40
Corynebacterium bovis ad	Culture	RADS US	07-Jun-2026	0 / 7	0 / 109
Corynebacterium kutscheri ad	Culture	RADS EU	07-Jun-2026	0 / 7	0 / 129
Mycoplasma pulmonis af	MFIA	RADS EU	21-Apr-2026	0 / 4	0 / 20
Rodentibacter heylii ad	Culture	RADS EU	07-Jun-2026	0 / 7	0 / 129
Rodentibacter pneumotropicus ad	Culture	RADS EU	07-Jun-2026	0 / 7	0 / 129
Pasteurella multocida ad	Culture	RADS EU	07-Jun-2026	0 / 7	0 / 129
Salmonella spp. af	Culture	RADS EU	21-Apr-2026	0 / 8	0 / 40
Streptobacillus moniliformis af	PCR / Exam	RADS EU	21-Apr-2026	0 / 8	0 / 40
Beta Streptococcus spp. ad	Culture	RADS EU	07-Jun-2026	0 / 7	0 / 129
Streptococcus pneumoniae ad	Culture	RADS EU	07-Jun-2026	0 / 7	0 / 129
Helicobacter hepaticus af	PCR	RADS US	21-Apr-2026	0 / 4	0 / 20
Helicobacter bilis af	PCR	RADS US	21-Apr-2026	0 / 4	0 / 20
Helicobacter, other species af	PCR	RADS US	21-Apr-2026	0 / 4	0 / 20
Staphylococcus aureus ad	Culture	RADS EU	07-Jun-2026	0 / 7	0 / 129
Pseudomonas aeruginosa ad	Culture	RADS EU	07-Jun-2026	0 / 7	0 / 129
Klebsiella pneumoniae ad	Culture	RADS EU	07-Jun-2026	0 / 7	0 / 129
Klebsiella oxytoca ad	Culture	RADS EU	07-Jun-2026	0 / 7	0 / 129
Proteus mirabilis ad	Culture	RADS EU	07-Jun-2026	0 / 7	0 / 129
Filobacterium rodentium (CAR Bacillus) af	MFIA	RADS EU	21-Apr-2026	0 / 4	0 / 20
Parasites					
Ectoparasites af	Exam	RADS EU	21-Apr-2026	0 / 8	0 / 40
Pneumocystis spp. ae	MFIA	RADS EU	21-Apr-2026	0 / 8	0 / 40
Encephalitozoon cuniculi af	MFIA	RADS US	21-Apr-2026	0 / 4	0 / 20

EUROPE RAT IMMUNODEFICIENT REPORT

EUROPEAN

Charles River Laboratories Germany					
Location			Health Status		
SULZFELD A017 Rats			Immunodeficient.		
Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasites					
Enteric Pathogenic Protozoa af	Exam	RADS EU	21-Apr-2026	0 / 8	0 / 40
Other Protozoa af	Exam	RADS EU	21-Apr-2026	0 / 8	0 / 40
Helminth af	Exam	RADS EU	21-Apr-2026	0 / 8	0 / 40
Lesion Observed					
Gross Exam af	Necropsy Exam	RADS EU	21-Apr-2026	0 / 8	0 / 40

* dashes indicate not tested during specified period.

HOUSED STRAINS					
Outbred			Other Species		
RNU			Mice		
RNU/+ HE					

Legend:
 RADS EU = Research Animal Diagnostic Services Europe Lyon, France
 RADS US = Research Animal Diagnostic Services Wilmington United States

Primary laboratory for Necropsy Exam, Direct Exam, and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every six weeks; f = screened annually.