

Mouse Immunodeficient

EUROPEAN

Charles River Laboratories France

Location
CRL France A04I Mice

Health Status
SOPF Immunodef

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Minute Virus of Mouse (MVM) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Mouse Parvovirus (MPV) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Mouse Hepatitis Virus (MHV) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Mouse Norovirus (MNV) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Theiler Virus (TMEV - GDVII) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Rotavirus (EDIM) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Sendai Virus (SEND) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Reovirus 3 (REO3) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Pneumonia Virus of Mice (PVM) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Mouse Thymic Virus (MTV) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 36
Mouse Cytomegalovirus (MCMV) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 36
Hantaan Virus (HANT) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 36
Lymphocytic Choriomeningitis (LCMV) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Mouse Adenovirus (MAV 1&2) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
K Virus (K) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 36
Ectromelia Virus (ECTRO) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Polyoma Virus (POLY) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 36
Lactate Dehydrogenase Virus (LDV) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 36
Mouse Chapparovirus (MuCPV) ae	PCR	RADS US	28-May-2026	0 / 4	0 / 72
Bacteria					
Tyzzers Disease (CPIL) ae	Exam	RADS EU	28-May-2026	0 / 4	0 / 72
Bordetella bronchiseptica ae	Culture	RADS EU	28-May-2026	0 / 4	0 / 83
Citrobacter rodentium ae	Culture	RADS EU	28-May-2026	0 / 4	0 / 83
Corynebacterium kutscheri ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 224
Corynebacterium bovis ad	PCR/Culture	RADS US/EU	06-Jul-2026	0 / 2	0 / 224
Mycoplasma pulmonis ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Rodentibacter heylii ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 224
Rodentibacter pneumotropicus ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 224
Pasteurella multocida ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 213
Salmonella spp ae	Culture	RADS EU	28-May-2026	0 / 4	0 / 83
Streptobacillus moniliformis ae	PCR / Exam	RADS US/EU	28-May-2026	0 / 4	0 / 83
Beta Streptococcus spp. ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 224
Streptococcus pneumoniae ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 224
Helicobacter hepaticus ae	PCR	RADS US	28-May-2026	0 / 4	0 / 83
Helicobacter bilis ae	PCR	RADS US	28-May-2026	0 / 4	0 / 83
Helicobacter, other spp. ae	PCR	RADS US	28-May-2026	0 / 4	0 / 83
Staphylococcus aureus ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 224
Pseudomonas aeruginosa ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 224

Mouse Immunodeficient
EUROPEAN

Charles River Laboratories France

Location
CRL France A04I Mice

Health Status
SOPF Immunodef

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
<i>Klebsiella pneumoniae</i> ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 224
<i>Klebsiella oxytoca</i> ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 224
<i>Pneumocystis</i> spp. ae	PCR	RADS US	28-May-2026	0 / 4	0 / 83
<i>Proteus mirabilis</i> ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 224
<i>Filobacterium rodentium</i> (CAR Bacillus) ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 47
Lesions observed					
Gross Exam ae	Exam	RADS EU	28-May-2026	0 / 4	0 / 72
Parasites					
Ectoparasites ae	Exam	RADS EU	28-May-2026	0 / 4	0 / 83
Helminths ae	Exam	RADS EU	28-May-2026	0 / 4	0 / 83
Enteric Pathogenic Protozoa ae	Exam	RADS EU	28-May-2026	0 / 4	0 / 83
Other protozoa ae	Exam	RADS EU	28-May-2026	0 / 4	0 / 83
Encephalitozoon cuniculi ae	MFIA	RADS US	28-May-2026	0 / 2	0 / 36

* dashes indicate not tested during specified period.

HOUSED STRAINS

Other Strains
Congenic
NSG

Legend:
RADS EU = Research Animal Diagnostic Services Europe Lyon, France
RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every six weeks; e = screened annually.