

EUROPE Mouse SPF/VAF IVC Room

EUROPEAN

Charles River Laboratories France

Location
CRL France A41 Mice

Health Status
SPF / VAF IVC

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Minute Virus of Mice (MVM) ad	PCR	RADS US	09-Jul-2026	0 / 2	0 / 59
Mouse Parvovirus (MPV) ad	PCR	RADS US	09-Jul-2026	0 / 2	0 / 59
Mouse Hepatitis Virus (MHV) ad	PCR	RADS US	09-Jul-2026	0 / 2	0 / 59
Mouse Norovirus (MNV) ad	PCR	RADS US	09-Jul-2026	0 / 2	0 / 59
Theiler Virus (TMEV -GDVII) ad	PCR	RADS US	09-Jul-2026	0 / 2	0 / 59
Mouse Rotavirus (EDIM) ad	PCR	RADS US	09-Jul-2026	0 / 2	0 / 59
Sendai Virus (SEND) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Reovirus 3 (REO3) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Pneumonia Virus of Mice (PVM) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Mouse Thymic Virus (MTV) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Mouse Cytomegalovirus (MCMV) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Hantaan Virus (HANT) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Lymphocytic Choriomeningitis (LCMV) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Mouse Adenovirus (MAV 1 & 2) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
K Virus (K) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Ectromelia Virus (ECTRO) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Polyoma Virus (POLY) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Lactate Dehydrogenase Virus (LDV) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Mouse Chapparovirus (MuCPV) be	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Bacteria					
Tyzzers's Disease (CPIL) ae	PCR	RADS US	04-Jun-2026	0 / 2	0 / 2
Bordetella bronchiseptica be	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Citrobacter rodentium ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Corynebacterium kutscheri ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Mycoplasma pulmonis ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Rodentibacter heylii be	PCR	RADS US	09-Jul-2026	0 / 2	0 / 61
Rodentibacter pneumotropicus be	PCR	RADS US	09-Jul-2026	0 / 2	0 / 61
Pasteurella multocida ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Salmonella spp. ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Streptobacillus moniliformis ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Beta Streptococcus - Grp A ce	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Beta Streptococcus - Grp B ce	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Beta Streptococcus - Grp C ce	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Beta Streptococcus - Grp G ce	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Streptococcus pneumoniae be	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Helicobacter hepaticus ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 61
Helicobacter bilis ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 61
Helicobacter typhlonius ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 61

EUROPE Mouse SPF/VAF IVC Room

EUROPEAN

Charles River Laboratories France

Location
CRL France A41 Mice

Health Status
SPF / VAF IVC

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
Helicobacter, other species ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 61
Filobacterium rodentium (CAR Bacillus) ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Parasites					
Lice ae	PCR	RADS US	04-Jun-2026	0 / 2	0 / 2
Mites af	Exam	RADS EU	09-Jul-2026	0 / 2	0 / 61
Other Ectoparasites cf	Exam	RADS EU	04-Jun-2026	0 / 2	0 / 2
Aspiculuris tetraptera ae	PCR	RADS US	04-Jun-2026	0 / 2	0 / 2
Syphacia muris ae	PCR	RADS US	04-Jun-2026	0 / 2	0 / 2
Syphacia obvelata ae	PCR	RADS US	04-Jun-2026	0 / 2	0 / 2
Other Helminths af	Exam	RADS EU	04-Jun-2026	0 / 2	0 / 2
Cryptosporidium sp. ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Eimeria spp. ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Encephalitozoon cuniculi ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 8
Giardia sp. ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Spironucleus sp. ae	PCR	RADS US	09-Jul-2026	0 / 2	0 / 61
Entamoeba sp. ce	PCR	RADS US	09-Jul-2026	0 / 2	0 / 61
Chilomastix sp. ce	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Hexamastix sp. ce	PCR	RADS US	09-Jul-2026	0 / 2	0 / 10
Monocercomonoides sp. cf	Exam	RADS EU	04-Jun-2026	0 / 2	0 / 2
Retortamonas sp. cf	Exam	RADS EU	09-Jul-2026	0 / 2	0 / 10
Trichmonads ce	PCR	RADS US	09-Jul-2026	0 / 2	0 / 61
Other Protozoa cf	Exam	RADS EU	04-Jun-2026	0 / 2	0 / 2
Lesion Observed					
Gross Exam bg	Exam	RADS EU	04-Jun-2026	0 / 2	0 / 2

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6J Aged

EUROPE Mouse SPF/VAF IVC Room
EUROPEAN

Charles River Laboratories France

<i>Location</i>	<i>Health Status</i>
CRL France A41 Mice	SPF / VAF IVC

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>

Legend:
RADS EU = Research Animal Diagnostic Services Europe Lyon, France
RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE:
d = screened every four or five weeks; e = screened quarterly; f = screened annually; g = screened every 12 or 13 weeks by necropsy examination.

Sampling date/Results validation could take up to 3 weeks.