



charles river

Mouse Immunodeficient

EUROPEAN

Charles River Laboratories France

Location
CRL France B13E Mice

Health Status
SOPF Immunodef

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Minute Virus of Mouse (MVM) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Mouse Parvovirus (MPV) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Mouse Hepatitis Virus (MHV) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Mouse Norovirus (MNV) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Theiler Virus (TMEV - GDVII) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Rotavirus (EDIM) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Sendai Virus (SEND) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Reovirus 3 (REO3) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Pneumonia Virus of Mice (PVM) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Mouse Thymic Virus (MTV) ae	MFIA	RADS US	--	--	--
Mouse Cytomegalovirus (MCMV) ae	MFIA	RADS US	--	--	--
Hantaan Virus (HANT) ae	MFIA	RADS US	--	--	--
Lymphocytic Choriomeningitis (LCMV) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Mouse Adenovirus (MAV 1&2) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
K Virus (K) ae	MFIA	RADS US	--	--	--
Ectromelia Virus (ECTRO) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Polyoma Virus (POLY) ae	MFIA	RADS US	--	--	--
Lactate Dehydrogenase Virus (LDV) ae	MFIA	RADS US	--	--	--
Mouse Chapparovirus (MuCPV) ae	PCR	RADS US	--	--	--
Bacteria					
Tyzzers's Disease (CPIL) ae	Exam	RADS EU	--	--	--
Bordetella bronchiseptica ae	Culture	RADS EU	17-Feb-2026	0 / 2	0 / 5
Citrobacter rodentium ae	Culture	RADS EU	17-Feb-2026	0 / 2	0 / 5
Corynebacterium kutscheri ad	Culture	RADS EU	13-Apr-2026	0 / 1	0 / 16
Corynebacterium bovis ad	PCR/Culture	RADS US/EU	13-Apr-2026	0 / 1	0 / 16
Mycoplasma pulmonis ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Rodentibacter heylii ad	Culture	RADS EU	13-Apr-2026	0 / 1	0 / 16
Rodentibacter pneumotropicus ad	Culture	RADS EU	13-Apr-2026	0 / 1	0 / 16
Pasteurella multocida ad	Culture	RADS EU	13-Apr-2026	0 / 1	0 / 11
Salmonella spp ae	Culture	RADS EU	17-Feb-2026	0 / 2	0 / 5
Streptobacillus moniliformis ae	PCR / Exam	RADS US/EU	17-Feb-2026	0 / 2	0 / 5
Beta Streptococcus spp. ad	Culture	RADS EU	13-Apr-2026	0 / 1	0 / 16
Streptococcus pneumoniae ad	Culture	RADS EU	13-Apr-2026	0 / 1	0 / 16
Helicobacter hepaticus ae	PCR	RADS US	17-Feb-2026	0 / 2	0 / 5
Helicobacter bilis ae	PCR	RADS US	17-Feb-2026	0 / 2	0 / 5
Helicobacter, other spp. ae	PCR	RADS US	17-Feb-2026	0 / 2	0 / 5
Staphylococcus aureus ad	Culture	RADS EU	13-Apr-2026	0 / 1	0 / 16
Pseudomonas aeruginosa ad	Culture	RADS EU	13-Apr-2026	0 / 1	0 / 16



charles river

Mouse Immunodeficient

EUROPEAN

Charles River Laboratories France

Location
CRL France B13E Mice

Health Status
SOPF Immunodef

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
<i>Klebsiella pneumoniae</i> ad	Culture	RADS EU	13-Apr-2026	0 / 1	0 / 16
<i>Klebsiella oxytoca</i> ad	Culture	RADS EU	13-Apr-2026	0 / 1	0 / 16
<i>Pneumocystis</i> spp. ae	PCR	RADS US	17-Feb-2026	0 / 2	0 / 5
<i>Proteus mirabilis</i> ad	Culture	RADS EU	13-Apr-2026	0 / 1	0 / 16
<i>Filobacterium rodentium</i> (CAR Bacillus) ae	MFIA	RADS US	17-Feb-2026	0 / 2	0 / 5
Lesions observed					
Gross Exam ae	Exam	RADS EU	--	--	--
Parasites					
Ectoparasites ae	Exam	RADS EU	17-Feb-2026	0 / 2	0 / 5
Helminths ae	Exam	RADS EU	17-Feb-2026	0 / 2	0 / 5
Enteric Pathogenic Protozoa ae	Exam	RADS EU	17-Feb-2026	0 / 2	0 / 5
Other protozoa ae	Exam	RADS EU	17-Feb-2026	0 / 2	0 / 5
Encephalitozoon cuniculi ae	MFIA	RADS US	--	--	--

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred NMRI-SOPF	Inbred CJ
----------------------	--------------

Legend:
RADS EU = Research Animal Diagnostic Services Europe Lyon, France
RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every six weeks; e = screened annually.

Mouse Immunocompetent EUROPEAN

Charles River Laboratories France

Location
CRL France B13E Mice

Health Status
SOPF Immunocomp

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Minute Virus of Mouse (MVM) ae	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Mouse Parvovirus (MPV) ae	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Mouse Hepatitis Virus (MHV) ae	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Mouse Norovirus (MNV) ae	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Theiler Virus (TMEV - GDVII) ae	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Rotavirus (EDIM) ae	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Sendai Virus (SEND) af	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Reovirus 3 (REO3) af	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Pneumonia Virus (PVM) af	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Mouse Thymic Virus (MTV) af	MFIA	RADS US	24-Nov-2025	0 / 8	0 / 16
Mouse Cytomegalovirus (MCMV) af	MFIA	RADS US	24-Nov-2025	0 / 8	0 / 16
Hantaan Virus (HANT) af	MFIA	RADS US	24-Nov-2025	0 / 8	0 / 16
Lymphocytic Choriomeningitis (LCMV) af	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Mouse Adenovirus (MAV 1&2) af	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
K Virus (K) af	MFIA	RADS US	24-Nov-2025	0 / 8	0 / 16
Ectromelia Virus (ECTRO) af	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Polyoma Virus (POLY) af	MFIA	RADS US	24-Nov-2025	0 / 8	0 / 16
Lactate Dehydrogenase Virus (LDV) af	MFIA	RADS US	24-Nov-2025	0 / 8	0 / 16
Mouse Chapparovirus (MuCPV) af	PCR	RADS US	24-Nov-2025	0 / 8	0 / 12
Bacteria					
Tyzzers's Disease (CPIL) af	Exam	RADS EU	24-Nov-2025	0 / 8	0 / 16
Bordetella bronchiseptica af	Culture	RADS EU	15-Jun-2026	0 / 1	0 / 30
Citrobacter rodentium af	Culture	RADS EU	15-Jun-2026	0 / 1	0 / 30
Corynebacterium kutscheri ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 69
Corynebacterium bovis ad	PCR/Culture	RADS US/EU	29-Jun-2026	0 / 1	0 / 69
Mycoplasma pulmonis af	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Rodentibacter heylii ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 69
Rodentibacter pneumotropicus ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 69
Pasteurella multocida ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 55
Salmonella spp af	Culture	RADS EU	15-Jun-2026	0 / 1	0 / 30
Streptobacillus moniliformis af	PCR / Exam	RADS US/EU	15-Jun-2026	0 / 1	0 / 30
Beta Hemolytic Streptococci ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 69
Streptococcus pneumoniae ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 69
Helicobacter hepaticus af	PCR	RADS US	15-Jun-2026	0 / 1	0 / 30
Helicobacter bilis af	PCR	RADS US	15-Jun-2026	0 / 1	0 / 30
Helicobacter, other spp af	PCR	RADS US	15-Jun-2026	0 / 1	0 / 30
Staphylococcus aureus ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 69
Pseudomonas aeruginosa ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 69

Mouse Immunocompetent EUROPEAN

Charles River Laboratories France

Location
CRL France B13E Mice

Health Status
SOPF Immunocomp

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
<i>Klebsiella pneumoniae</i> ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 69
<i>Klebsiella oxytoca</i> ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 69
<i>Pneumocystis</i> spp. af	PCR	RADS US	15-Jun-2026	0 / 1	0 / 30
<i>Proteus mirabilis</i> ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 69
<i>Filobacterium rodentium</i> (CAR Bacillus) af	MFIA	RADS US	15-Jun-2026	0 / 1	0 / 30
Lesions observed					
Gross Exam af	Exam	RADS EU	24-Nov-2025	0 / 8	0 / 16
Parasites					
Ectoparasites af	Exam	RADS EU	15-Jun-2026	0 / 1	0 / 30
Helminths af	Exam	RADS EU	15-Jun-2026	0 / 1	0 / 30
Enteric Pathogenic Protozoa af	Exam	RADS EU	15-Jun-2026	0 / 1	0 / 30
Other protozoa af	Exam	RADS EU	15-Jun-2026	0 / 1	0 / 30
Encephalitozoon cuniculi af	MFIA	RADS US	24-Nov-2025	0 / 8	0 / 16

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred	Inbred
NMRI-SOPF	CJ

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France
RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every six weeks; e = screened quarterly on all isolators; f = screened annually.