

EUROPE Rat SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories France

Location

CRL France B23 Rats

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Rat Parvovirus (RPV) af	MFIA	RADS US	06-Jul-2026	0 / 16	0 / 338
Rat minute virus (RMV) af	MFIA	RADS US	06-Jul-2026	0 / 16	0 / 338
Toolan H1 Virus (H1) ad	MFIA	RADS US	06-Jul-2026	0 / 16	0 / 338
Kilham Rat Virus (KRV) ad	MFIA	RADS US	06-Jul-2026	0 / 16	0 / 338
Rat Coronavirus (RCV/SDAV) ad	MFIA	RADS US	06-Jul-2026	0 / 16	0 / 338
Rat Theiler Virus (RTV, GDVII) ad	MFIA	RADS US	06-Jul-2026	0 / 16	0 / 338
Reovirus 3 (REO3) ad	MFIA	RADS US	06-Jul-2026	0 / 16	0 / 338
Sendai Virus (SEND) ad	MFIA	RADS US	06-Jul-2026	0 / 16	0 / 338
Pneumonia Virus of Mice (PVM) ad	MFIA	RADS US	06-Jul-2026	0 / 16	0 / 338
Mouse Adenovirus (MAV 1 & 2) ae	MFIA	RADS US	08-Jun-2026	0 / 16	0 / 130
Lymphocytic Choriomeningitis (LCMV) ae	MFIA	RADS US	08-Jun-2026	0 / 16	0 / 112
Hantaan Virus (HANT) ae	MFIA	RADS US	08-Jun-2026	0 / 16	0 / 130
Bacteria and Fungi					
Tyzzers Disease (CPIL) ae	Exam	RADS EU	30-Jun-2026	0 / 12	0 / 72
Bordetella bronchiseptica be	Culture	RADS EU	30-Jun-2026	0 / 8	0 / 66
Corynebacterium kutscheri ae	Culture	RADS EU	30-Jun-2026	0 / 8	0 / 66
Mycoplasma pulmonis ad	MFIA	RADS EU	06-Jul-2026	0 / 16	0 / 338
Rodentibacter heylII be	Culture	RADS EU	30-Jun-2026	0 / 8	0 / 66
Rodentibacter pneumotropicus be	Culture	RADS EU	30-Jun-2026	0 / 8	0 / 66
Pasteurella multocida ae	Culture	RADS EU	30-Jun-2026	0 / 8	0 / 48
Salmonella spp. ae	Culture	RADS EU	30-Jun-2026	0 / 8	0 / 66
Streptobacillus moniliformis ae	PCR / Exam	RADS EU	30-Jun-2026	0 / 12	0 / 90
Beta Streptococcus - Grp A ce	Culture	RADS EU	30-Jun-2026	0 / 8	0 / 66
Beta Streptococcus - Grp B ce	Culture	RADS EU	30-Jun-2026	0 / 8	0 / 66
Beta Streptococcus - Grp C ce	Culture	RADS EU	30-Jun-2026	0 / 8	0 / 66
Beta Streptococcus - Grp G ce	Culture	RADS EU	30-Jun-2026	0 / 8	0 / 66
Streptococcus pneumoniae be	Culture	RADS EU	30-Jun-2026	0 / 8	0 / 66
Helicobacter hepaticus ae	PCR	RADS US	30-Jun-2026	0 / 12	0 / 78
Helicobacter bilis ae	PCR	RADS US	30-Jun-2026	0 / 12	0 / 78
Helicobacter, other species ae	PCR	RADS US	30-Jun-2026	0 / 12	0 / 78
Filobacterium rodentium (CAR Bacillus) ae	MFIA	RADS EU	08-Jun-2026	0 / 16	0 / 130
Pneumocystis spp. ad	MFIA	RADS US	06-Jul-2026	0 / 16	0 / 338
Parasites					
Lice ae	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48
Mites ae	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 66
Other Ectoparasites ce	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48
Aspiculuris tetraptera ae	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48
Syphacia muris ae	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48

EUROPE Rat SPF/VAF Barrier Room
EUROPEAN

Charles River Laboratories France

<i>Location</i>	<i>Health Status</i>
CRL France B23 Rats	SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Parasites					
Syphacia obvelata ae	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48
Other Helminths ae	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48
Cryptosporidium sp. ae	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 66
Eimeria spp. ae	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48
Encephalitozoon cuniculi ae	MFIA	RADS US	08-Jun-2026	0 / 16	0 / 112
Giardia sp. ae	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 66
Spironuleus sp. ae	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 66
Entamoeba sp. ce	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 66
Chilomastix sp. ce	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48
Hexamastix sp. ce	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48
Monocercomonoides sp. ce	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48
Retortamonas sp. ce	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48
Trichomonads ce	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48
Other Protozoa ce	Exam	RADS EU	30-Jun-2026	0 / 8	0 / 48

Lesion Observed

<i>Gross Exam</i> bg	Necropsy Exam	RADS EU	30-Jun-2026	0 / 12	0 / 72
----------------------	---------------	---------	-------------	--------	--------

* dashes indicate not tested during specified period.

HOUSED STRAINS

	Outbred	Inbred
	CD	ZDF FA/+
	WISTAR HAN	ZDF FA/FA

Legend:
RADS EU = Research Animal Diagnostic Services Europe Lyon, France
RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE:
d = screened every four or five weeks; e = screened quarterly; f = screened annually; g = screened every 12 or 13 weeks by necropsy examination.

Sampling date/ Result validation could take until 3 weeks.

B23 CRLF Rat SPF