

Mouse Immunocompetent

EUROPEAN

Charles River Laboratories France

Location
CRL France C03E Mice

Health Status
SOPF Immunocomp

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Minute Virus of Mouse (MVM) ae	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 182
Mouse Parvovirus (MPV) ae	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 182
Mouse Hepatitis Virus (MHV) ae	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 182
Mouse Norovirus (MNV) ae	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 182
Theiler Virus (TMEV - GDVII) ae	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 182
Rotavirus (EDIM) ae	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 182
Sendai Virus (SEND) af	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 106
Reovirus 3 (REO3) af	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 106
Pneumonia Virus (PVM) af	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 106
Mouse Thymic Virus (MTV) af	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 68
Mouse Cytomegalovirus (MCMV) af	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 68
Hantaan Virus (HANT) af	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 68
Lymphocytic Choriomeningitis (LCMV) af	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 106
Mouse Adenovirus (MAV 1&2) af	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 106
K Virus (K) af	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 68
Ectromelia Virus (ECTRO) af	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 106
Polyoma Virus (POLY) af	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 68
Lactate Dehydrogenase Virus (LDV) af	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 68
Mouse Chapparovirus (MuCPV) af	PCR	RADS US	22-Jun-2026	0 / 4	0 / 52
Bacteria					
Tyzzers's Disease (CPIL) af	Exam	RADS EU	22-Jun-2026	0 / 4	0 / 68
Bordetella bronchiseptica af	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 106
Citrobacter rodentium af	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 106
Corynebacterium kutscheri ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 263
Corynebacterium bovis ad	PCR/Culture	RADS US/EU	06-Jul-2026	0 / 2	0 / 263
Mycoplasma pulmonis af	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 106
Rodentibacter heylii ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 263
Rodentibacter pneumotropicus ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 263
Pasteurella multocida ad	Culture	RADS EU	29-Jun-2026	0 / 1	0 / 225
Salmonella spp af	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 106
Streptobacillus moniliformis af	PCR / Exam	RADS US/EU	06-Jul-2026	0 / 2	0 / 106
Beta Hemolytic Streptococci ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 263
Streptococcus pneumoniae ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 263
Helicobacter hepaticus af	PCR	RADS US	06-Jul-2026	0 / 2	0 / 106
Helicobacter bilis af	PCR	RADS US	06-Jul-2026	0 / 2	0 / 106
Helicobacter, other spp af	PCR	RADS US	06-Jul-2026	0 / 2	0 / 106
Staphylococcus aureus ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 263
Pseudomonas aeruginosa ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 263

Mouse Immunocompetent

EUROPEAN

Charles River Laboratories France

Location
CRL France C03E Mice

Health Status
SOPF Immunocomp

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
<i>Klebsiella pneumoniae</i> ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 263
<i>Klebsiella oxytoca</i> ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 263
<i>Pneumocystis spp.</i> af	PCR	RADS US	06-Jul-2026	0 / 2	0 / 106
<i>Proteus mirabilis</i> ad	Culture	RADS EU	06-Jul-2026	0 / 2	0 / 263
<i>Filobacterium rodentium</i> (CAR Bacillus) af	MFIA	RADS US	06-Jul-2026	0 / 2	0 / 106
Lesions observed					
Gross Exam af	Exam	RADS EU	22-Jun-2026	0 / 4	0 / 68
Parasites					
<i>Ectoparasites</i> af	Exam	RADS EU	06-Jul-2026	0 / 2	0 / 106
<i>Helminths</i> af	Exam	RADS EU	06-Jul-2026	0 / 2	0 / 106
<i>Enteric Pathogenic Protozoa</i> af	Exam	RADS EU	06-Jul-2026	0 / 2	0 / 106
<i>Other protozoa</i> af	Exam	RADS EU	06-Jul-2026	0 / 2	0 / 106
<i>Encephalitozoon cuniculi</i> af	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 68

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred NMRI-SOPF	Inbred 129/SV-E C57BL/6-E C57BL/6J - E	Hybrid OT II
-----------------------------	--	------------------------

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France
RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every six weeks; e = screened quarterly on all isolators; f = screened annually.