

Mouse Immunodeficient

EUROPEAN

Charles River Laboratories France

Location
CRL France C03I Mice

Health Status
SOPF Immunodef

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Minute Virus of Mouse (MVM) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Mouse Parvovirus (MPV) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Mouse Hepatitis Virus (MHV) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Mouse Norovirus (MNV) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Theiler Virus (TMEV - GDVII) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Rotavirus (EDIM) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Sendai Virus (SEND) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Reovirus 3 (REO3) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Pneumonia Virus of Mice (PVM) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Mouse Thymic Virus (MTV) ae	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 74
Mouse Cytomegalovirus (MCMV) ae	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 74
Hantaan Virus (HANT) ae	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 74
Lymphocytic Choriomeningitis (LCMV) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Mouse Adenovirus (MAV 1&2) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
K Virus (K) ae	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 74
Ectromelia Virus (ECTRO) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Polyoma Virus (POLY) ae	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 74
Lactate Dehydrogenase Virus (LDV) ae	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 74
Mouse Chapparovirus (MuCPV) ae	PCR	RADS US	22-Jun-2026	0 / 8	0 / 144
Bacteria					
Tyzzers's Disease (CPIL) ae	Exam	RADS EU	22-Jun-2026	0 / 8	0 / 144
Bordetella bronchiseptica ae	Culture	RADS EU	22-Jun-2026	0 / 9	0 / 192
Citrobacter rodentium ae	Culture	RADS EU	22-Jun-2026	0 / 9	0 / 192
Corynebacterium kutscheri ad	Culture	RADS EU	29-Jun-2026	0 / 9	0 / 515
Corynebacterium bovis ad	PCR/Culture	RADS US/EU	29-Jun-2026	0 / 9	0 / 515
Mycoplasma pulmonis ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Rodentibacter heylII ad	Culture	RADS EU	29-Jun-2026	0 / 9	0 / 515
Rodentibacter pneumotropicus ad	Culture	RADS EU	29-Jun-2026	0 / 9	0 / 515
Pasteurella multocida ad	Culture	RADS EU	29-Jun-2026	0 / 9	0 / 467
Salmonella spp ae	Culture	RADS EU	22-Jun-2026	0 / 9	0 / 192
Streptobacillus moniliformis ae	PCR / Exam	RADS US/EU	22-Jun-2026	0 / 9	0 / 192
Beta Streptococcus spp. ad	Culture	RADS EU	29-Jun-2026	0 / 9	0 / 515
Streptococcus pneumoniae ad	Culture	RADS EU	29-Jun-2026	0 / 9	0 / 515
Helicobacter hepaticus ae	PCR	RADS US	22-Jun-2026	0 / 9	0 / 192
Helicobacter bilis ae	PCR	RADS US	22-Jun-2026	0 / 9	0 / 192
Helicobacter, other spp. ae	PCR	RADS US	22-Jun-2026	0 / 9	0 / 192
Staphylococcus aureus ad	Culture	RADS EU	29-Jun-2026	0 / 9	0 / 515
Pseudomonas aeruginosa ad	Culture	RADS EU	29-Jun-2026	0 / 9	0 / 515

Mouse Immunodeficient
EUROPEAN

Charles River Laboratories France

Location
CRL France C03I Mice

Health Status
SOPF Immunodef

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
<i>Klebsiella pneumoniae</i> ad	Culture	RADS EU	29-Jun-2026	0 / 9	0 / 515
<i>Klebsiella oxytoca</i> ad	Culture	RADS EU	29-Jun-2026	0 / 9	0 / 515
<i>Pneumocystis</i> spp. ae	PCR	RADS US	22-Jun-2026	0 / 9	0 / 192
<i>Proteus mirabilis</i> ad	Culture	RADS EU	29-Jun-2026	0 / 9	0 / 515
<i>Filobacterium rodentium</i> (CAR Bacillus) ae	MFIA	RADS US	22-Jun-2026	0 / 5	0 / 122
Lesions observed					
Gross Exam ae	Exam	RADS EU	22-Jun-2026	0 / 8	0 / 144
Parasites					
Ectoparasites ae	Exam	RADS EU	22-Jun-2026	0 / 9	0 / 192
Helminths ae	Exam	RADS EU	22-Jun-2026	0 / 9	0 / 192
Enteric Pathogenic Protozoa ae	Exam	RADS EU	22-Jun-2026	0 / 9	0 / 192
Other protozoa ae	Exam	RADS EU	22-Jun-2026	0 / 9	0 / 192
Encephalitozoon cuniculi ae	MFIA	RADS US	22-Jun-2026	0 / 4	0 / 74

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
SNUDE HE
SWISS NUDE

Other Strains
Congenit
CB17SCID
CNU
CNU HE
NSG

Legend:
RADS EU = Research Animal Diagnostic Services Europe Lyon, France
RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every six weeks; e = screened annually.