

EUROPE SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories France

Location
CRL France ZE9 Rabbits

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Rab Hemorag Disease (RHDV) ae	PCR	RADS US	08-Apr-2026	0 / 8	0 / 48
Rabbit Rotavirus ae	MIFA	RADS US	08-Apr-2026	0 / 8	0 / 48
Lymphocytic Choriomeningitis (LCMV) ae	MFIA	RADS US	08-Apr-2026	0 / 8	0 / 48
Bacteria					
Tyzzer Disease (C.PIL) ae	Necropsy Exam	RADS EU	08-Apr-2026	0 / 8	0 / 48
Treponema cuniculi ae	Agglutination	RADS EU	08-Apr-2026	0 / 8	0 / 48
Bordetella bronchiseptica be	Culture	RADS EU	08-Apr-2026	0 / 8	0 / 48
Pasteurella multocida ae	Culture	RADS EU	08-Apr-2026	0 / 8	0 / 48
Pasteurella pneumotropica be	Culture	RADS EU	08-Apr-2026	0 / 8	0 / 48
Salmonella sp ae	Culture	RADS EU	08-Apr-2026	0 / 8	0 / 48
Filobacterium rodentium (CAR Bacillus) ae	MFIA	RADS US	08-Apr-2026	0 / 8	0 / 48
Dermatophytes ae	Direct Exam	RADS EU	08-Apr-2026	0 / 8	0 / 48
Parasites					
C. parasitovorax ae	Exam	RADS EU	08-Apr-2026	0 / 8	0 / 48
L. gibbus ae	Exam	RADS EU	08-Apr-2026	0 / 8	0 / 48
Ps. cuniculi ae	Exam	RADS EU	08-Apr-2026	0 / 8	0 / 48
Other Ectoparasite ae	Exam	RADS EU	08-Apr-2026	0 / 8	0 / 48
P. ambiguus ad	Exam	RADS EU	01-Jun-2026	0 / 8	0 / 136
Other Helminths ad	Exam	RADS EU	01-Jun-2026	0 / 8	0 / 136
Eimeria spp. bd	Exam	RADS EU	01-Jun-2026	0 / 8	0 / 136
E. stiedae ad	Exam	RADS EU	01-Jun-2026	0 / 8	0 / 136
Other Pathogenic Protozoa ad	Exam	RADS EU	01-Jun-2026	0 / 8	0 / 136
E. cuniculi ae	MFIA	RADS US	08-Apr-2026	0 / 8	0 / 48
Lesion Observed					
Gross Exam bg	Necropsy Exam	RADS EU	08-Apr-2026	0 / 8	0 / 48

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
CHB
KBL (NZW)

EUROPE SPF/VAF Barrier Room**EUROPEAN**

Charles River Laboratories France

Location

CRL France ZE9 Rabbits

Health Status

SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France

RADS US = Research Animal Diagnostic Services United States Wilmington

Massachusetts

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU

Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination;

b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four or five weeks;

e = screened quarterly; f = screened annually;

g = screened quarterly by necropsy examination.

Sampling date/ Result validation could take until 3 weeks.