

EUROPE Mouse SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Italia

Location
Italy A005 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Minute Virus of Mice (MVM) ad	MFIA	RADS US	19-Jun-2026	0 / 16	0 / 336
Mouse Parvovirus (MPV) ad	MFIA	RADS US	19-Jun-2026	0 / 16	0 / 336
Mouse Hepatitis Virus (MHV) ad	MFIA	RADS US	19-Jun-2026	0 / 16	0 / 336
Mouse Norovirus (MNV) ad	MFIA	RADS US	19-Jun-2026	0 / 16	0 / 336
Theiler Virus (TMEV -GDVII) ad	MFIA	RADS US	19-Jun-2026	0 / 16	0 / 336
Mouse Rotavirus (EDIM) ad	MFIA	RADS US	19-Jun-2026	0 / 16	0 / 336
Sendai Virus (SEND) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 128
Reovirus 3 (REO3) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 128
Pneumonia Virus of Mice (PVM) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 128
Mouse Thymic Virus (MTV) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 96
Mouse Cytomegalovirus (MCMV) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 96
Hantaan Virus (HANT) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 96
Lymphocytic Choriomeningitis (LCMV) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 128
Mouse Adenovirus (MAV 1 & 2) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 128
K Virus (K) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 96
Ectromelia Virus (ECTRO) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 128
Polyoma Virus (POLY) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 96
Lactate Dehydrogenase Virus (LDV) ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 96
Mouse Chapparravirus (MuCPV) be	PCR	RADS US	07-Jul-2026	0 / 4	0 / 24
Bacteria					
Tyzzers Disease (CPIL) ae	Exam	RADS EU	07-Jul-2026	0 / 16	0 / 96
Bordetella bronchiseptica be	Culture	RADS EU	07-Jul-2026	0 / 8	0 / 80
Citrobacter rodentium ae	Culture	RADS EU	07-Jul-2026	0 / 8	0 / 80
Corynebacterium kutscheri ae	Culture	RADS EU	07-Jul-2026	0 / 8	0 / 80
Mycoplasma pulmonis ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 128
Rodentibacter heylii be	Culture	RADS EU	07-Jul-2026	0 / 8	0 / 80
Rodentibacter pneumotropicus be	Culture	RADS EU	07-Jul-2026	0 / 8	0 / 80
Pasteurella multocida ae	Culture	RADS EU	07-Jul-2026	0 / 8	0 / 48
Salmonella spp. ae	Culture	RADS EU	07-Jul-2026	0 / 8	0 / 80
Streptobacillus moniliformis ae	PCR / Exam	RADS EU	07-Jul-2026	0 / 16	0 / 128
Beta Streptococcus - Grp A ce	Culture	RADS EU	07-Jul-2026	0 / 8	0 / 80
Beta Streptococcus - Grp B ce	Culture	RADS EU	07-Jul-2026	0 / 8	0 / 80
Beta Streptococcus - Grp C ce	Culture	RADS US	07-Jul-2026	0 / 8	0 / 80
Beta Streptococcus - Grp G ce	Culture	RADS EU	07-Jul-2026	0 / 8	0 / 80
Streptococcus pneumoniae be	Culture	RADS EU	07-Jul-2026	0 / 8	0 / 80
Helicobacter hepaticus ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 96
Helicobacter bilis ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 96
Helicobacter typhlonius ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 96

EUROPE Mouse SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Italia

Location

Italy A005 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
Helicobacter, other species ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 96
Filobacterium rodentium (CAR Bacillus) ae	MFIA	RADS EU	24-Apr-2026	0 / 16	0 / 128
Parasites					
Lice ae	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48
Mites ae	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 80
Other Ectoparasites ce	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48
Aspiculuris tetraptera ae	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48
Syphacia muris ae	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48
Syphacia obvelata ae	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48
Other Helminths ae	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48
Cryptosporidium sp. ae	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 80
Eimeria spp. ae	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48
Encephalitozoon cuniculi ae	MFIA	RADS US	24-Apr-2026	0 / 16	0 / 96
Giardia sp. ae	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 80
Spironucleus sp. ae	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 80
Entamoeba sp. ce	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 80
Chilomastix sp. ce	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48
Hexamastix sp. ce	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48
Monocercomonoides sp. ce	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48
Retortamonas sp. ce	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48
Trichmonads ce	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 80
Other Protozoa ce	Exam	RADS EU	07-Jul-2026	0 / 8	0 / 48

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred	Hybrid
B6 ALBINO	B6C3F1
BALB/C	CDF-1
BTYR	
C3H	
C57BL/6	
DBA/2	
NOD	
NOD/J	

EUROPE Mouse SPF/VAF Barrier Room
EUROPEAN

Charles River Laboratories Italia

<i>Location</i>	<i>Health Status</i>
Italy A005 Mice	SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>

Legend:
 RADS EU = Research Animal Diagnostic Services Europe Lyon, France
 RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE:
 d = screened every four or five weeks; e = screened quarterly; f = screened annually; g = screened every 12 or 13 weeks by necropsy examination.

Sampling date/Results validation could take up to 3 weeks.

Area 5 CRLI Mice SPF