



charles river

EUROPE SPF/VAF Gerbils

EUROPEAN

Charles River Laboratories Italia			Health Status		
Location			SPF / VAF		
Italy M001 Gerbils					
Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
<i>Lymphocytic Choriomeningitis Virus</i> ad	IFA	RADS US	19-May-2026	0 / 4	0 / 24
Bacteria					
<i>Clostridium piliforme</i> ad	IFA	RADS US	19-May-2026	0 / 4	0 / 24
<i>Pasteurella multocida</i> ad	Culture	RADS EU	19-May-2026	0 / 4	0 / 24
<i>Rodentibacter heylii</i> bd	Culture	RADS EU	19-May-2026	0 / 4	0 / 24
<i>Rodentibacter pneumotropicus</i> bd	Culture	RADS EU	19-May-2026	0 / 4	0 / 24
<i>Streptococcus pneumoniae</i> bd	Culture	RADS EU	19-May-2026	0 / 4	0 / 24
<i>Klebsiella pneumoniae</i> bd	Culture	RADS EU	19-May-2026	0 / 4	0 / 24
<i>Yersinia pseudotuberculosis</i> ad	Culture	RADS EU	19-May-2026	0 / 4	0 / 24
<i>Salmonella spp.</i> ad	Culture	RADS EU	19-May-2026	0 / 4	0 / 24
<i>Helicobacter hepaticus</i> ad	PCR	RADS US	19-May-2026	0 / 4	0 / 24
<i>Helicobacter bilis</i> bd	PCR	RADS US	19-May-2026	0 / 4	0 / 24
<i>Helicobacter, other spp.</i> bd	PCR	RADS US	19-May-2026	0 / 4	0 / 24
Parasites					
<i>Ectoparasites</i> ad	Exam	RADS EU	19-May-2026	0 / 4	0 / 24
<i>Helminths</i> ad	Exam	RADS EU	19-May-2026	0 / 4	0 / 24
<i>Enteric Pathogenic Protozoa</i> ad	Exam	RADS EU	19-May-2026	0 / 4	0 / 24
Lesion Observed					
<i>Gross Exam</i> d	Exam	RADS EU	19-May-2026	0 / 6	0 / 36

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
 MONGOLIAN

Legend:
 RADS EU = Research Animal Diagnostic Services Europe Lyon, France
 RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened quarterly