

Rat VAF Report

North America

Charles River Kingston

Location

Kingston K71 Rats

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ad	MFIA	RADS US	18-Jun-2026	0 / 16	0 / 328
PVM ad	MFIA	RADS US	18-Jun-2026	0 / 16	0 / 328
SDAV ad	MFIA	RADS US	18-Jun-2026	0 / 16	0 / 328
KRV ad	MFIA	RADS US	18-Jun-2026	0 / 16	0 / 328
H1 ad	MFIA	RADS US	18-Jun-2026	0 / 16	0 / 328
RPV ad	MFIA	RADS US	18-Jun-2026	0 / 16	0 / 328
RMV ad	MFIA	RADS US	18-Jun-2026	0 / 16	0 / 328
REO ae	MFIA	RADS US	18-Jun-2026	0 / 16	0 / 328
RTV ad	MFIA	RADS US	18-Jun-2026	0 / 16	0 / 328
LCMV ae	MFIA	RADS US	23-Apr-2026	0 / 16	0 / 96
HANT ae	MFIA	RADS US	23-Apr-2026	0 / 16	0 / 120
MAV ae	MFIA	RADS US	23-Apr-2026	0 / 16	0 / 120
RPyV2 be	MFIA	RADS US	23-Apr-2026	0 / 16	0 / 120
IDIR be	MFIA	RADS US	23-Apr-2026	0 / 16	0 / 96
Microbiology					
B. bronchiseptica be	Culture	RADS US	27-Apr-2026	0 / 8	0 / 56
F. rodentium (CARB) ae	MFIA/PCR	RADS US	23-Apr-2026	0 / 16	0 / 120
C. bovis ae	PCR	RADS US	27-Apr-2026	0 / 12	0 / 72
C. kutscheri ae	Culture	RADS US	27-Apr-2026	0 / 8	0 / 56
H. bilis ae	PCR	RADS US	27-Apr-2026	0 / 12	0 / 72
H. hepaticus ae	PCR	RADS US	27-Apr-2026	0 / 12	0 / 72
Helicobacter sp. ae	PCR	RADS US	27-Apr-2026	0 / 12	0 / 72
K. oxytoca ce	Culture	RADS US	27-Apr-2026	0 / 8	0 / 56
K. pneumoniae ce	Culture	RADS US	27-Apr-2026	0 / 8	0 / 56
M. pulmonis ad	MFIA	RADS US	18-Jun-2026	0 / 16	0 / 328
P. multocida be	Culture	RADS US	27-Apr-2026	0 / 8	0 / 48
R. heylII be	Culture/PCR	RADS US	27-Apr-2026	0 / 8	0 / 56
R. pneumotropicus be	Culture/PCR	RADS US	27-Apr-2026	0 / 8	0 / 56
P. aeruginosa ce	Culture	RADS US	27-Apr-2026	2 / 8	8 / 56
Salmonella spp. ae	Culture	RADS US	27-Apr-2026	0 / 8	0 / 56
Staph. aureus ce	Culture	RADS US	27-Apr-2026	1 / 8	20 / 56
S. moniliformis af	PCR	RADS US	29-Jan-2026	0 / 12	0 / 24
Strep. pneumoniae be	Culture	RADS US	27-Apr-2026	0 / 8	0 / 56
Beta Strep. sp. - Grp B ce	Culture	RADS US	27-Apr-2026	2 / 8	32 / 56
Beta Strep. sp. - Grp G ce	Culture	RADS US	27-Apr-2026	0 / 8	0 / 56
Beta Strep. sp. ce	Culture	RADS US	27-Apr-2026	0 / 8	0 / 48
Pneumocystis spp. bd	MFIA	RADS US	18-Jun-2026	0 / 16	0 / 328
Tyzzer's Disease ag	Exam	RADS US	27-Apr-2026	0 / 12	0 / 72

Rat VAF Report

North America

Charles River Kingston			Health Status		
Location			VAF		
Kingston K71 Rats					
Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam ei	Exam, Histopathol	RADS US	27-Apr-2026	0 / 12	0 / 74
Parasitology					
Ectoparasites ae	Exam	RADS US	27-Apr-2026	0 / 8	0 / 56
Helminths ae	Exam	RADS US	27-Apr-2026	0 / 8	0 / 56
Giardia sp. ae	Exam	RADS US	27-Apr-2026	0 / 8	0 / 56
Spironucleus sp. ae	Exam	RADS US	27-Apr-2026	0 / 8	0 / 56
Other Protozoa ce	Exam	RADS US	27-Apr-2026	0 / 8	0 / 56
E. cuniculi ae	MFIA	RADS US	23-Apr-2026	0 / 16	0 / 96

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
L/E
WISTAR

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination; i = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.