

Rat VAF Report

North America

Charles River Kingston

Location

Kingston K81G Rats

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ad	MFIA	RADS US	18-Jun-2026	0 / 8	0 / 237
PVM ad	MFIA	RADS US	18-Jun-2026	0 / 8	0 / 237
SDAV ad	MFIA	RADS US	18-Jun-2026	0 / 8	0 / 237
KRV ad	MFIA	RADS US	18-Jun-2026	0 / 8	0 / 237
H1 ad	MFIA	RADS US	18-Jun-2026	0 / 8	0 / 237
RPV ad	MFIA	RADS US	18-Jun-2026	0 / 8	0 / 237
RMV ad	MFIA	RADS US	18-Jun-2026	0 / 8	0 / 237
REO ae	MFIA	RADS US	18-Jun-2026	0 / 8	0 / 237
RTV ad	MFIA	RADS US	18-Jun-2026	0 / 8	0 / 237
LCMV ae	MFIA	RADS US	04-Jun-2026	0 / 5	0 / 85
HANT ae	MFIA	RADS US	04-Jun-2026	0 / 5	0 / 85
MAV ae	MFIA	RADS US	04-Jun-2026	0 / 5	0 / 85
RPyV2 be	MFIA	RADS US	04-Jun-2026	0 / 5	0 / 85
IDIR be	MFIA	RADS US	04-Jun-2026	0 / 5	0 / 85
Microbiology					
B. bronchiseptica be	Culture	RADS US	04-Jun-2026	0 / 5	0 / 85
F. rodentium (CARB) ae	MFIA/PCR	RADS US	04-Jun-2026	0 / 5	0 / 85
C. bovis ae	PCR	RADS US	04-Jun-2026	0 / 5	0 / 85
C. kutscheri ae	Culture	RADS US	04-Jun-2026	0 / 5	0 / 85
H. bilis ae	PCR	RADS US	04-Jun-2026	0 / 5	0 / 85
H. hepaticus ae	PCR	RADS US	04-Jun-2026	0 / 5	0 / 85
Helicobacter sp. ae	PCR	RADS US	04-Jun-2026	0 / 5	0 / 85
K. oxytoca ce	Culture	RADS US	04-Jun-2026	0 / 5	0 / 85
K. pneumoniae ce	Culture	RADS US	04-Jun-2026	0 / 5	1 / 85
M. pulmonis ad	MFIA	RADS US	18-Jun-2026	0 / 8	0 / 237
P. multocida be	Culture	RADS US	04-Jun-2026	0 / 5	0 / 85
R. heylII be	Culture/PCR	RADS US	04-Jun-2026	0 / 5	0 / 85
R. pneumotropicus be	Culture/PCR	RADS US	04-Jun-2026	0 / 5	0 / 85
P. aeruginosa ce	Culture	RADS US	04-Jun-2026	0 / 5	0 / 85
Salmonella spp. ae	Culture	RADS US	04-Jun-2026	0 / 5	0 / 85
Staph. aureus ce	Culture	RADS US	04-Jun-2026	1 / 5	13 / 85
S. moniliformis af	PCR	RADS US	05-Mar-2026	0 / 5	0 / 25
Strep. pneumoniae be	Culture	RADS US	04-Jun-2026	0 / 5	0 / 85
Beta Strep. sp. - Grp B ce	Culture	RADS US	04-Jun-2026	0 / 5	0 / 85
Beta Strep. sp. - Grp G ce	Culture	RADS US	04-Jun-2026	0 / 5	0 / 85
Beta Strep. sp. ce	Culture	RADS US	04-Jun-2026	0 / 5	0 / 85
Pneumocystis spp. bd	MFIA	RADS US	18-Jun-2026	0 / 8	0 / 237
Tyzzer's Disease ag	Exam	RADS US	04-Jun-2026	0 / 5	0 / 85

Rat VAF Report

North America

Charles River Kingston					
Location			Health Status		
Kingston K81G Rats			VAF		
Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam ei	Exam, Histopathol	RADS US	04-Jun-2026	0 / 5	0 / 92
Parasitology					
Ectoparasites ae	Exam	RADS US	04-Jun-2026	0 / 5	0 / 85
Helminths ae	Exam	RADS US	04-Jun-2026	0 / 5	0 / 85
Giardia sp. ae	Exam	RADS US	04-Jun-2026	0 / 5	0 / 85
Spironucleus sp. ae	Exam	RADS US	04-Jun-2026	0 / 5	0 / 85
Other Protozoa ce	Exam	RADS US	04-Jun-2026	0 / 5	0 / 85
E. cuniculi ae	MFIA	RADS US	04-Jun-2026	0 / 5	0 / 85

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred	Hybrid
BN NIA	F344CDF/BN NIA
F344CDF NIA	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination; i = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.