

Mouse VAF Report

North America

Charles River Kingston

Location

Kingston K94G Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
PVM ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
MHV ad	MFIA	RADS US	25-Jun-2026	0 / 8	0 / 322
MVM ad	MFIA	RADS US	25-Jun-2026	0 / 8	0 / 322
MPV ad	MFIA	RADS US	25-Jun-2026	0 / 8	0 / 322
MNV ad	MFIA	RADS US	25-Jun-2026	0 / 8	0 / 322
TMEV (GDVII) ad	MFIA	RADS US	25-Jun-2026	0 / 8	0 / 322
REO ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
EDIM ad	MFIA	RADS US	25-Jun-2026	0 / 8	0 / 322
LCMV ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
ECTRO ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
MAV ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
MCMV ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
K ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
POLY ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
HANT ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
MTLV ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
LDV af	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
MuCPV ae	PCR	RADS US	09-Jun-2026	0 / 10	0 / 170
Microbiology					
B. bronchiseptica be	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
C. rodentium ae	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
F. rodentium (CARB) ae	MFIA/PCR	RADS US	09-Jun-2026	0 / 10	0 / 170
C. bovis ae	PCR	RADS US	09-Jun-2026	0 / 10	0 / 170
C. kutscheri ae	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
H. bilis ae	PCR	RADS US	09-Jun-2026	0 / 10	0 / 170
H. hepaticus ae	PCR	RADS US	09-Jun-2026	0 / 10	0 / 170
Helicobacter sp. ae	PCR	RADS US	09-Jun-2026	0 / 10	0 / 170
K. oxytoca ce	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
K. pneumoniae ce	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
M. pulmonis ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170
P. multocida be	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
R. heyltii be	Culture/PCR	RADS US	09-Jun-2026	0 / 10	0 / 170
R. pneumotropicus be	Culture/PCR	RADS US	09-Jun-2026	0 / 10	0 / 170
P. aeruginosa ce	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
Salmonella spp. ae	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
Staph. aureus ce	Culture	RADS US	09-Jun-2026	0 / 10	2 / 170
S. moniliformis af	PCR	RADS US	10-Mar-2026	0 / 10	0 / 50

Mouse VAF Report

North America

Charles River Kingston

Location
Kingston K94G Mice

Health Status
VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
Strep. pneumoniae be	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
Beta Strep. sp. - Grp B ce	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
Beta Strep. sp. - Grp G ce	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
Beta Strep. sp. ce	Culture	RADS US	09-Jun-2026	0 / 10	0 / 170
Tyzzer's Disease ag	Exam	RADS US	09-Jun-2026	0 / 10	0 / 170
Pathology					
Gross Exam eh	Exam, Histopathol	RADS US	09-Jun-2026	0 / 10	0 / 170
Parasitology					
Ectoparasites ae	Exam	RADS US	09-Jun-2026	0 / 10	0 / 170
Helminths ae	Exam	RADS US	09-Jun-2026	0 / 10	0 / 170
Giardia sp. ae	Exam	RADS US	09-Jun-2026	0 / 10	0 / 170
Spironucleus sp. ae	Exam	RADS US	09-Jun-2026	0 / 10	0 / 170
Other Protozoa ce	Exam	RADS US	09-Jun-2026	0 / 10	0 / 170
E. cuniculi ae	MFIA	RADS US	09-Jun-2026	0 / 10	0 / 170

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6JN

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination.

h = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.