

Mouse VAF Report

North America

Charles River Raleigh

Location
Raleigh R07 Mice

Health Status
VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ae	MFIA	RADS US	25-Feb-2026	0 / 16	0 / 153
PVM ae	MFIA	RADS US	25-Feb-2026	0 / 16	0 / 153
MHV ad	MFIA	RADS US	25-Feb-2026	0 / 32	0 / 345
MVM ad	MFIA	RADS US	25-Feb-2026	0 / 32	0 / 345
MPV ad	MFIA	RADS US	25-Feb-2026	0 / 32	0 / 345
MNV ad	MFIA	RADS US	25-Feb-2026	0 / 32	0 / 345
TMEV (GDVII) ad	MFIA	RADS US	25-Feb-2026	0 / 32	0 / 345
REO ae	MFIA	RADS US	25-Feb-2026	0 / 16	0 / 153
EDIM ad	MFIA	RADS US	25-Feb-2026	0 / 32	0 / 345
LCMV ae	MFIA	RADS US	25-Feb-2026	0 / 16	0 / 153
ECTRO ae	MFIA	RADS US	25-Feb-2026	0 / 16	0 / 153
MAV ae	MFIA	RADS US	25-Feb-2026	0 / 16	0 / 153
MCMV ae	MFIA	RADS US	29-Jan-2026	0 / 16	0 / 120
K ae	MFIA	RADS US	29-Jan-2026	0 / 16	0 / 120
POLY ae	MFIA	RADS US	29-Jan-2026	0 / 16	0 / 120
HANT ae	MFIA	RADS US	29-Jan-2026	0 / 16	0 / 120
MTLV ae	MFIA	RADS US	29-Jan-2026	0 / 16	0 / 120
LDV af	MFIA	RADS US	29-Jan-2026	0 / 16	0 / 120
MuCPV ae	PCR	RADS US	25-Feb-2026	0 / 4	0 / 25
Microbiology					
B. bronchiseptica be	Culture	RADS US	25-Feb-2026	0 / 16	0 / 65
C. rodentium ae	Culture	RADS US	25-Feb-2026	0 / 16	0 / 65
F. rodentium (CARB) ae	MFIA/PCR	RADS US	25-Feb-2026	0 / 16	0 / 153
C. bovis ae	PCR	RADS US	25-Feb-2026	0 / 16	0 / 97
C. kutscheri ae	Culture	RADS US	25-Feb-2026	0 / 16	0 / 65
H. bilis ae	PCR	RADS US	25-Feb-2026	0 / 16	0 / 97
H. hepaticus ae	PCR	RADS US	25-Feb-2026	0 / 16	0 / 97
Helicobacter sp. ae	PCR	RADS US	25-Feb-2026	0 / 16	0 / 97
K. oxytoca ce	Culture	RADS US	25-Feb-2026	0 / 16	0 / 97
K. pneumoniae ce	Culture	RADS US	25-Feb-2026	0 / 16	0 / 97
M. pulmonis ae	MFIA	RADS US	25-Feb-2026	0 / 16	0 / 153
P. multocida be	Culture	RADS US	25-Feb-2026	0 / 8	0 / 48
R. heyltii be	Culture/PCR	RADS US	25-Feb-2026	0 / 16	0 / 65
R. pneumotropicus be	Culture/PCR	RADS US	25-Feb-2026	0 / 16	0 / 65
P. aeruginosa ce	Culture	RADS US	25-Feb-2026	0 / 16	0 / 97
Salmonella spp. ae	Culture	RADS US	25-Feb-2026	0 / 16	0 / 65
Staph. aureus ce	Culture	RADS US	25-Feb-2026	0 / 16	0 / 65
S. moniliformis af	PCR	RADS US	25-Feb-2026	0 / 16	0 / 33

Mouse VAF Report

North America

Charles River Raleigh

Location

Raleigh R07 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
<i>Strep. pneumoniae</i> be	Culture	RADS US	25-Feb-2026	0 / 16	0 / 65
<i>Beta Strep. sp. - Grp B</i> ce	Culture	RADS US	25-Feb-2026	0 / 16	0 / 65
<i>Beta Strep. sp. - Grp G</i> ce	Culture	RADS US	25-Feb-2026	0 / 16	0 / 65
<i>Beta Strep. sp.</i> ce	Culture	RADS US	25-Feb-2026	0 / 8	0 / 48
<i>Tyzzler's Disease</i> ag	Exam	RADS US	25-Feb-2026	0 / 16	0 / 96
Pathology					
<i>Gross Exam</i> eh	Exam, Histopathol	RADS US	25-Feb-2026	0 / 16	0 / 96
Parasitology					
<i>Ectoparasites</i> ae	Exam	RADS US	25-Feb-2026	0 / 16	0 / 65
<i>Helminths</i> ae	Exam	RADS US	25-Feb-2026	0 / 16	0 / 65
<i>Giardia sp.</i> ae	Exam	RADS US	25-Feb-2026	0 / 16	0 / 65
<i>Spiroucleus sp.</i> ae	Exam	RADS US	25-Feb-2026	0 / 16	0 / 65
<i>Other Protozoa</i> ce	Exam	RADS US	25-Feb-2026	0 / 16	0 / 65
<i>E. cuniculi</i> ae	MFIA	RADS US	29-Jan-2026	0 / 16	0 / 120

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred	Hybrid
BALB/C	BDF-1
C57BL/6	CB6F-1
DBA/2	CDF-1
FVB	

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination.

h = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.