

Mouse VAF Report

North America

Charles River Raleigh

Location
Raleigh R10 Mice

Health Status
VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 160
PVM ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 160
MHV ad	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 352
MVM ad	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 352
MPV ad	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 352
MNV ad	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 352
TMEV (GDVII) ad	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 352
REO ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 160
EDIM ad	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 352
LCMV ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 160
ECTRO ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 160
MAV ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 160
MCMV ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 128
K ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 128
POLY ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 128
HANT ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 128
MTLV ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 128
LDV af	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 128
MuCPV ae	PCR	RADS US	19-May-2026	0 / 4	0 / 24
Microbiology					
B. bronchiseptica be	Culture	RADS US	19-May-2026	0 / 8	0 / 64
C. rodentium ae	Culture	RADS US	19-May-2026	0 / 8	0 / 64
F. rodentium (CARB) ae	MFIA/PCR	RADS US	15-Jul-2026	0 / 16	0 / 160
C. bovis ae	PCR	RADS US	19-May-2026	0 / 16	0 / 112
C. kutscheri ae	Culture	RADS US	19-May-2026	0 / 8	0 / 64
H. bilis ae	PCR	RADS US	19-May-2026	0 / 16	0 / 96
H. hepaticus ae	PCR	RADS US	19-May-2026	0 / 16	0 / 96
Helicobacter sp. ae	PCR	RADS US	19-May-2026	0 / 16	0 / 96
K. oxytoca ce	Culture	RADS US	19-May-2026	0 / 16	0 / 96
K. pneumoniae ce	Culture	RADS US	19-May-2026	0 / 16	20 / 96
M. pulmonis ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 160
P. multocida be	Culture	RADS US	19-May-2026	0 / 8	0 / 48
R. heylii be	Culture/PCR	RADS US	19-May-2026	0 / 8	0 / 64
R. pneumotropicus be	Culture/PCR	RADS US	19-May-2026	0 / 8	0 / 64
P. aeruginosa ce	Culture	RADS US	19-May-2026	0 / 16	6 / 96
Salmonella spp. ae	Culture	RADS US	19-May-2026	0 / 8	0 / 64
Staph. aureus ce	Culture	RADS US	19-May-2026	0 / 8	12 / 64
S. moniliformis af	PCR	RADS US	17-Feb-2026	0 / 16	0 / 32

Mouse VAF Report

North America

Charles River Raleigh			Health Status		
Location			VAF		
Raleigh R10 Mice					
Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
Strep. pneumoniae be	Culture	RADS US	19-May-2026	0 / 8	0 / 64
Beta Strep. sp. - Grp B ce	Culture	RADS US	19-May-2026	0 / 8	0 / 64
Beta Strep. sp. - Grp G ce	Culture	RADS US	19-May-2026	0 / 8	0 / 64
Beta Strep. sp. ce	Culture	RADS US	19-May-2026	0 / 8	0 / 48
Tyzzer's Disease ag	Exam	RADS US	19-May-2026	0 / 16	0 / 96
Pathology					
Gross Exam eh	Exam, Histopathol	RADS US	09-Jun-2026	0 / 1	0 / 99
Parasitology					
Ectoparasites ae	Exam	RADS US	19-May-2026	0 / 8	0 / 64
Helminths ae	Exam	RADS US	19-May-2026	0 / 8	0 / 64
Giardia sp. ae	Exam	RADS US	19-May-2026	0 / 8	0 / 64
Spironucleus sp. ae	Exam	RADS US	19-May-2026	0 / 8	0 / 64
Other Protozoa ce	Exam	RADS US	19-May-2026	0 / 8	0 / 64
E. cuniculi ae	MFIA	RADS US	15-Jul-2026	0 / 16	0 / 128

* dashes indicate not tested during specified period.

HOUSED STRAINS			Other Species		
Outbred			Rats		
CD-1					
CFW					

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination.

h = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.