

Rat VAF Report

North America

Charles River California

Location

Hollister H41 Rats

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
PVM ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
SDAV ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
KRV ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
H1 ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
RPV ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
RMV ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
REO ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
RTV ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
LCMV ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 112
HANT ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 124
MAV ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 124
RPyV2 be	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 124
IDIR be	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 112
Microbiology					
B. bronchiseptica be	Culture	RADS US	07-Jul-2026	0 / 8	0 / 52
F. rodentium (CARB) ae	MFIA/PCR	RADS US	25-Jun-2026	0 / 16	0 / 124
C. bovis ae	PCR	RADS US	07-Jul-2026	0 / 12	0 / 72
C. kutscheri ae	Culture	RADS US	07-Jul-2026	0 / 8	0 / 52
H. bilis ae	PCR	RADS US	07-Jul-2026	0 / 12	0 / 72
H. hepaticus ae	PCR	RADS US	07-Jul-2026	0 / 12	0 / 72
Helicobacter sp. ae	PCR	RADS US	07-Jul-2026	0 / 12	0 / 72
K. oxytoca ce	Culture	RADS US	07-Jul-2026	0 / 8	0 / 52
K. pneumoniae ce	Culture	RADS US	07-Jul-2026	0 / 8	0 / 52
M. pulmonis ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
P. multocida be	Culture	RADS US	07-Jul-2026	0 / 8	0 / 48
R. heylII be	Culture/PCR	RADS US	07-Jul-2026	0 / 8	0 / 52
R. pneumotropicus be	Culture/PCR	RADS US	07-Jul-2026	0 / 8	0 / 52
P. aeruginosa ce	Culture	RADS US	07-Jul-2026	0 / 8	0 / 60
Salmonella spp. ae	Culture	RADS US	07-Jul-2026	0 / 8	0 / 52
Staph. aureus ce	Culture	RADS US	07-Jul-2026	0 / 8	17 / 52
S. moniliformis af	PCR	RADS US	06-Jan-2026	0 / 12	0 / 12
Strep. pneumoniae be	Culture	RADS US	07-Jul-2026	0 / 8	0 / 52
Beta Strep. sp. - Grp B ce	Culture	RADS US	07-Jul-2026	4 / 8	28 / 52
Beta Strep. sp. - Grp G ce	Culture	RADS US	07-Jul-2026	0 / 8	0 / 52
Beta Strep. sp. ce	Culture	RADS US	07-Jul-2026	0 / 8	0 / 48
Pneumocystis spp. bd	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 316
Tyzzers Disease ag	Exam	RADS US	07-Jul-2026	0 / 12	0 / 72

Rat VAF Report

North America

Charles River California					
Location			Health Status		
Hollister H41 Rats			VAF		
Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Pathology					
Gross Exam ei	Exam, Histopathol	RADS US	07-Jul-2026	0 / 12	0 / 72
Parasitology					
Ectoparasites ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 52
Helminths ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 52
Giardia sp. ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 52
Spironucleus sp. ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 52
Other Protozoa ce	Exam	RADS US	07-Jul-2026	0 / 8	0 / 52
E. cuniculi ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 112

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
CD

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination; i = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.