

Mouse VAF Report

North America

Charles River California

Location

Hollister H44 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 146
PVM ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 146
MHV ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 330
MVM ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 330
MPV ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 330
MNV ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 330
TMEV (GDVII) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 330
REO ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 146
EDIM ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 330
LCMV ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 146
ECTRO ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 146
MAV ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 146
MCMV ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 120
K ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 120
POLY ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 120
HANT ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 120
MTLV ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 120
LDV af	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 120
MuCPV ae	PCR	RADS US	07-Jul-2026	0 / 4	0 / 26
Microbiology					
B. bronchiseptica be	Culture	RADS US	07-Jul-2026	0 / 8	0 / 74
C. rodentium ae	Culture	RADS US	07-Jul-2026	0 / 8	0 / 74
F. rodentium (CARB) ae	MFIA/PCR	RADS US	25-Jun-2026	0 / 16	0 / 146
C. bovis ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 114
C. kutscheri ae	Culture	RADS US	07-Jul-2026	0 / 8	0 / 74
H. bilis ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 114
H. hepaticus ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 114
Helicobacter sp. ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 114
K. oxytoca ce	Culture	RADS US	07-Jul-2026	0 / 16	19 / 114
K. pneumoniae ce	Culture	RADS US	07-Jul-2026	0 / 16	0 / 114
M. pulmonis ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 146
P. multocida be	Culture	RADS US	07-Jul-2026	0 / 8	0 / 56
R. heylii be	Culture/PCR	RADS US	07-Jul-2026	0 / 8	0 / 74
R. pneumotropicus be	Culture/PCR	RADS US	07-Jul-2026	0 / 8	0 / 74
P. aeruginosa ce	Culture	RADS US	07-Jul-2026	0 / 16	0 / 114
Salmonella spp. ae	Culture	RADS US	07-Jul-2026	0 / 8	0 / 74
Staph. aureus ce	Culture	RADS US	07-Jul-2026	0 / 8	22 / 74
S. moniliformis af	PCR	RADS US	06-Jan-2026	0 / 16	0 / 34

Mouse VAF Report

North America

Charles River California			Health Status		
Location			VAF		
Hollister H44 Mice					
Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
Strep. pneumoniae be	Culture	RADS US	07-Jul-2026	0 / 8	0 / 74
Beta Strep. sp. - Grp B ce	Culture	RADS US	07-Jul-2026	0 / 8	12 / 74
Beta Strep. sp. - Grp G ce	Culture	RADS US	07-Jul-2026	0 / 8	0 / 74
Beta Strep. sp. ce	Culture	RADS US	07-Jul-2026	0 / 8	0 / 56
Tyzzer's Disease ag	Exam	RADS US	07-Jul-2026	0 / 16	0 / 112
Pathology					
Gross Exam eh	Exam, Histopathol	RADS US	07-Jul-2026	0 / 16	0 / 129
Parasitology					
Ectoparasites ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 74
Helminths ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 74
Giardia sp. ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 74
Spironucleus sp. ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 74
Other Protozoa ce	Exam	RADS US	07-Jul-2026	0 / 8	0 / 74
E. cuniculi ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 120

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
BALB/C
C57BL/6

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination.

h = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.