

Mouse VAF Report

North America

Charles River California

Location

Hollister H47 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Virology					
SEND ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 128
PVM ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 128
MHV ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 320
MVM ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 320
MPV ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 320
MNV ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 320
TMEV (GDVII) ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 320
REO ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 128
EDIM ad	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 320
LCMV ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 128
ECTRO ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 128
MAV ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 128
MCMV ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 112
K ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 112
POLY ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 112
HANT ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 112
MTLV ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 112
LDV af	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 112
MuCPV ae	PCR	RADS US	07-Jul-2026	0 / 4	0 / 24
Microbiology					
B. bronchiseptica be	Culture	RADS US	07-Jul-2026	0 / 8	0 / 56
C. rodentium ae	Culture	RADS US	07-Jul-2026	0 / 8	0 / 56
F. rodentium (CARB) ae	MFIA/PCR	RADS US	25-Jun-2026	0 / 16	0 / 128
C. bovis ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 96
C. kutscheri ae	Culture	RADS US	07-Jul-2026	0 / 8	0 / 56
H. bilis ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 96
H. hepaticus ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 96
Helicobacter sp. ae	PCR	RADS US	07-Jul-2026	0 / 16	0 / 96
K. oxytoca ce	Culture	RADS US	07-Jul-2026	0 / 16	0 / 96
K. pneumoniae ce	Culture	RADS US	07-Jul-2026	0 / 16	0 / 96
M. pulmonis ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 128
P. multocida be	Culture	RADS US	07-Jul-2026	0 / 8	0 / 48
R. heylii be	Culture/PCR	RADS US	07-Jul-2026	0 / 8	0 / 56
R. pneumotropicus be	Culture/PCR	RADS US	07-Jul-2026	0 / 8	0 / 56
P. aeruginosa ce	Culture	RADS US	07-Jul-2026	0 / 16	7 / 112
Salmonella spp. ae	Culture	RADS US	07-Jul-2026	0 / 8	0 / 56
Staph. aureus ce	Culture	RADS US	07-Jul-2026	0 / 8	8 / 56
S. moniliformis af	PCR	RADS US	06-Jan-2026	0 / 16	0 / 16

Mouse VAF Report

North America

Charles River California

Location

Hollister H47 Mice

Health Status

VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Microbiology					
Strep. pneumoniae be	Culture	RADS US	07-Jul-2026	0 / 8	0 / 56
Beta Strep. sp. - Grp B ce	Culture	RADS US	07-Jul-2026	0 / 8	0 / 56
Beta Strep. sp. - Grp G ce	Culture	RADS US	07-Jul-2026	0 / 8	0 / 56
Beta Strep. sp. ce	Culture	RADS US	07-Jul-2026	0 / 8	0 / 48
Tyzzer's Disease ag	Exam	RADS US	07-Jul-2026	0 / 16	0 / 96
Pathology					
Gross Exam eh	Exam, Histopathol	RADS US	07-Jul-2026	0 / 16	0 / 108
Parasitology					
Ectoparasites ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 56
Helminths ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 56
Giardia sp. ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 56
Spironucleus sp. ae	Exam	RADS US	07-Jul-2026	0 / 8	0 / 56
Other Protozoa ce	Exam	RADS US	07-Jul-2026	0 / 8	0 / 56
E. cuniculi ae	MFIA	RADS US	25-Jun-2026	0 / 16	0 / 112

* dashes indicate not tested during specified period.

HOUSED STRAINS

Inbred
C57BL/6
C57BL/6-AGED

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE: d = screened every four weeks; e = screened quarterly; f = screened annually; g = screened quarterly by necropsy examination.

h = results do not include incidental or strain related findings; significant findings would result in immediate termination of the colony.