

EUROPE Mouse SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Kent

Location
UK A10 Mice

Health Status
SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Viruses					
Minute Virus of Mice (MVM) ad	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 209
Mouse Parvovirus (MPV) ad	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 209
Mouse Hepatitis Virus (MHV) ad	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 209
Mouse Norovirus (MNV) ad	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 209
Theiler Virus (TMEV -GDVII) ad	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 209
Mouse Rotavirus (EDIM) ad	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 209
Sendai Virus (SEND) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 112
Reovirus 3 (REO3) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 112
Pneumonia Virus of Mice (PVM) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 112
Mouse Thymic Virus (MTV) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 80
Mouse Cytomegalovirus (MCMV) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 80
Hantaan Virus (HANT) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 80
Lymphocytic Choriomeningitis (LCMV) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 112
Mouse Adenovirus (MAV 1 & 2) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 112
K Virus (K) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 80
Ectromelia Virus (ECTRO) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 112
Polyoma Virus (POLY) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 80
Lactate Dehydrogenase Virus (LDV) ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 80
Mouse Chapparovirus (MuCPV) be	PCR	RADS US	05-May-2026	0 / 4	0 / 24
Bacteria					
Tyzzers's Disease (CPIL) ae	Exam	RADS EU	05-May-2026	0 / 16	0 / 48
Bordetella bronchiseptica be	Culture	RADS EU	05-May-2026	0 / 8	0 / 48
Citrobacter rodentium ae	Culture	RADS EU	05-May-2026	0 / 8	0 / 48
Corynebacterium kutscheri ae	Culture	RADS EU	05-May-2026	0 / 8	0 / 48
Mycoplasma pulmonis ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 112
Rodentibacter heylii be	Culture	RADS EU	05-May-2026	0 / 8	0 / 49
Rodentibacter pneumotropicus be	Culture	RADS EU	05-May-2026	0 / 8	0 / 49
Pasteurella multocida ae	Culture	RADS EU	05-May-2026	0 / 8	0 / 32
Salmonella spp. ae	Culture	RADS EU	05-May-2026	0 / 8	0 / 48
Streptobacillus moniliformis ae	PCR / Exam	RADS EU	05-May-2026	0 / 16	0 / 64
Beta Streptococcus - Grp A ce	Culture	RADS EU	05-May-2026	0 / 8	0 / 48
Beta Streptococcus - Grp B ce	Culture	RADS EU	05-May-2026	0 / 8	0 / 48
Beta Streptococcus - Grp C ce	Culture	RADS US	05-May-2026	0 / 8	0 / 48
Beta Streptococcus - Grp G ce	Culture	RADS EU	05-May-2026	0 / 8	0 / 48
Streptococcus pneumoniae be	Culture	RADS EU	05-May-2026	0 / 8	0 / 48
Helicobacter hepaticus ae	PCR	RADS US	05-May-2026	0 / 16	0 / 49
Helicobacter bilis ae	PCR	RADS US	05-May-2026	0 / 16	0 / 49
Helicobacter typhlonius ae	PCR	RADS US	05-May-2026	0 / 16	0 / 49

EUROPE Mouse SPF/VAF Barrier Room

EUROPEAN

Charles River Laboratories Kent

Location

UK A10 Mice

Health Status

SPF / VAF

Summary Item	Method	Primary Lab	Most Recent		Past 18 Months
			Test Date	Positive / Tested	Positive / Tested
Bacteria					
Helicobacter, other species ae	PCR	RADS US	05-May-2026	0 / 16	0 / 49
Filobacterium rodentium (CAR Bacillus) ae	MFIA	RADS EU	07-Jul-2026	0 / 16	0 / 112
Parasites					
Lice ae	Exam	RADS EU	05-May-2026	0 / 8	0 / 32
Mites ae	Exam	RADS EU	05-May-2026	0 / 8	0 / 65
Other Ectoparasites ce	Exam	RADS EU	05-May-2026	0 / 8	0 / 32
Aspicularis tetraptera ae	Exam	RADS EU	05-May-2026	0 / 8	0 / 32
Syphacia muris ae	Exam	RADS EU	05-May-2026	0 / 8	0 / 32
Syphacia obvelata ae	Exam	RADS EU	05-May-2026	0 / 8	0 / 32
Other Helminths ae	Exam	RADS EU	05-May-2026	0 / 8	0 / 48
Cryptosporidium sp. ae	Exam	RADS EU	05-May-2026	0 / 8	0 / 48
Eimeria spp. ae	Exam	RADS EU	05-May-2026	0 / 8	0 / 32
Encephalitozoon cuniculi ae	MFIA	RADS US	07-Jul-2026	0 / 16	0 / 80
Giardia sp. ae	Exam	RADS EU	05-May-2026	0 / 8	0 / 64
Spironucleus sp. ae	Exam	RADS EU	05-May-2026	0 / 8	0 / 65
Entamoeba sp. ce	Exam	RADS EU	05-May-2026	0 / 8	0 / 64
Chilomastix sp. ce	Exam	RADS EU	05-May-2026	0 / 8	0 / 32
Hexamastix sp. ce	Exam	RADS EU	05-May-2026	0 / 8	0 / 32
Monocercomonoides sp. ce	Exam	RADS EU	05-May-2026	0 / 8	0 / 32
Retortamonas sp. ce	Exam	RADS EU	05-May-2026	0 / 8	0 / 32
Trichmonads ce	Exam	RADS EU	05-May-2026	0 / 8	0 / 64
Other Protozoa ce	Exam	RADS EU	05-May-2026	0 / 8	0 / 48
Lesion Observed					
Gross Exam bq	Exam	RADS EU	05-May-2026	0 / 16	0 / 48

* dashes indicate not tested during specified period.

HOUSED STRAINS

Outbred
CD-1

Other Species
Environment

EUROPE Mouse SPF/VAF Barrier Room**EUROPEAN**

Charles River Laboratories Kent

Location

UK A10 Mice

Health Status

SPF / VAF

<i>Summary Item</i>	<i>Method</i>	<i>Primary Lab</i>	<i>Most Recent</i>		<i>Past 18 Months</i>
			<i>Test Date</i>	<i>Positive / Tested</i>	<i>Positive / Tested</i>

Legend:

RADS EU = Research Animal Diagnostic Services Europe Lyon, France

RADS US = Research Animal Diagnostic Services Wilmington United States

Primary Laboratory for Exam (necropsy and direct) and Culture is RADS EU; Primary laboratory for MFIA and PCR is RADS US

COLONY POLICY FOR POSITIVE RESULT: a = immediate termination; b = planned future recycle of the colony; c = no action.

TESTING SCHEDULE:

d = screened every four or five weeks; e = screened quarterly; f = screened annually; g = screened every 12 or 13 weeks by necropsy examination.

Sampling date/Results validation could take up to 3 weeks.